

1.1 Cartridge drukkbegrenzers en lege behuizingen

Quickcode	Omschrijving	Bereik	Druk	Flow	Symbool	Datablad	Behuizing	Cavity	SQC	Std?
CP000277	CPLN-005-DPNA-PF-005-N040	10-40 bar	460 bar	1,5 lpm		CP000015	Niet beschikbaar	VP000005 Direct werkend	CP277	
CP000030	CPLN-005-DPNA-PF-005-N100	25-100 bar							CP030	
CP000029	CPLN-005-DPNA-PF-005-N200	100-200 bar							CP029	
CP000002	CPLN-005-DPNA-PF-005-N350	120-350 bar							CP002	
CP000015	CPLN-005-DPNA-PF-005-N460	150-460 bar							CP015	
CP000374	CPLN-005-DPNA-PF-005-V460	150-460 bar				CP000374	Voor de ML kleppen (EXC)		CP374	
CP000056	CPLN-010-DHNA-HN-S08-N100	35-110 bar	350 bar	3 lpm		CP000006	Huis type LK	SAE-08-2N Direct werkend	CP056	
CP000055	CPLN-010-DHNA-HN-S08-N200	90-210 bar							CP055	
CP000006	CPLN-010-DHNA-HN-S08-N350	140-350 bar							CP006	
CP000172	CPLN-010-DHNA-VN-S08-N350	20-350 bar				CP000172		Met handknop	CP172	
CP000027	CPLN-020-DPNA-HN-S08-N050	10-70 bar	420 bar	20 lpm		CP000168	Huis type LK	SAE-08-2N Direct werkend	CP027	
CP000028	CPLN-020-DPNA-HN-S08-N100	35-140 bar							CP028	
CP000007	CPLN-020-DPNA-HN-S08-N200	105-210 bar							CP007	
CP000025	CPLN-020-DPNA-HN-S08-N350	175-350 bar							CP025	
CP000168	CPLN-020-DPNA-HN-S08-N420	200-420 bar							CP168	
CP000173	CPLN-020-DPNA-VN-S08-N350	20-350 bar	350 bar			CP000173		Met handknop	CP173	
CP000032	CPLN-030-DPNA-HN-008-N050	10-50 bar	420 bar	30 lpm		CP000124	LK000001 LK000002 LK000108 LK000109	VP000008 Direct werkend	CP032	
CP000020	CPLN-030-DPNA-HN-008-N100	30-100 bar							CP020	
CP000019	CPLN-030-DPNA-HN-008-N200	50-210 bar							CP019	
CP000001	CPLN-030-DPNA-HN-008-N350	100-350 bar							CP001	
CP000124	CPLN-030-DPNA-HN-008-N420	250-420 bar							CP124	
CP000085	CPLN-030-DHNA-HN-008-N050	10-50 bar	420 bar	30 lpm		CP000401	LK000001 LK000002 LK000108 LK000109	VP000008 Direct werkend Geharde zitting	CP085	
CP000084	CPLN-030-DHNA-HN-008-N100	30-100 bar							CP084	
CP000083	CPLN-030-DHNA-HN-008-N200	50-210 bar							CP083	
CP000082	CPLN-030-DHNA-HN-008-N350	100-350 bar							CP082	
CP000411	CPLN-030-DHNA-HF-008-N420	250-420 bar							CP411	
CP000401	CPLN-023-DHNA-CF-008-N500	150-500 bar	500 bar	20 lpm					CP401	

1.1 Cartridge drukkbegrenzers en lege behuizingen

CP000099	CPLN-080-DPNA-HN-086-N050	5-50 bar	420 bar	80 lpm	CP000180	LK000111	VP000086 Direct werkend	CP099
CP000077	CPLN-080-DPNA-HN-086-N100	25-100 bar						CP077
CP000076	CPLN-080-DPNA-HN-086-N200	60-210 bar						CP076
CP000026	CPLN-080-DPNA-HN-086-N350	100-350 bar						CP026
CP000180	CPLN-080-DPNA-HN-086-N420	150-420 bar						CP180
CP000081	CPLT-030-DPNA-HN-008-N050	10-50 bar	420 bar	30 lpm	CP000125	LK000001 LK000002 LK000108 LK000109	VP000008 Direct werkend	CP081
CP000080	CPLT-030-DPNA-HN-008-N100	30-100 bar						CP080
CP000079	CPLT-030-DPNA-HN-008-N200	50-210 bar						CP079
CP000078	CPLT-030-DPNA-HN-008-N350	100-350 bar						CP078
CP000125	CPLT-030-DPNA-HN-008-N420	250-420 bar						CP125
CP000098	CPLT-030-DHNA-HN-008-N050	10-50 bar	420 bar	30 lpm	CP000410	LK000001 LK000002 LK000108 LK000109	VP000008 Direct werkend Geharde zitting	CP098
CP000097	CPLT-030-DHNA-HN-008-N100	30-100 bar						CP097
CP000096	CPLT-030-DHNA-HN-008-N200	50-210 bar						CP096
CP000095	CPLT-030-DHNA-HN-008-N350	100-350 bar						CP095
CP000410	CPLT-030-DHNA-HF-008-N420	250-420 bar						CP127
CP000144	CPLT-080-DPNA-HN-086-N050	5-50 bar	420 bar	80 lpm	CP000181	LK000111	VP000086 Direct werkend	CP144
CP000143	CPLT-080-DPNA-HN-086-N100	25-100 bar						CP143
CP000142	CPLT-080-DPNA-HN-086-N200	60-210 bar						CP142
CP000130	CPLT-080-DPNA-HN-086-N350	100-350 bar						CP130
CP000181	CPLT-080-DPNA-HN-086-N420	150-420 bar						CP181
CP000223	CPLN-040-DHGD-HN-080-N100	30-100 bar	350 bar	40 lpm	CP000036	n.v.t.	VP000080 Direct werkend differentiaal	CP233
CP000088	CPLN-040-DHGD-HN-080-N200	50-210 bar						CP088
CP000036	CPLN-040-DHGD-HN-080-N350	100-350 bar						CP036
CP000120	CPLN-090-DHGA-HN-249-N070	10-70 bar	380 bar	90 lpm	CP000105	n.v.t.	VP000249 Direct werkend differentiaal	CP120
CP000102	CPLN-090-DHGA-HN-249-N120	70-120 bar						CP102
CP000103	CPLN-090-DHGA-HN-249-N200	120-200 bar						CP103
CP000104	CPLN-090-DHGA-HN-249-N270	200-270 bar						CP104
CP000101	CPLN-090-DHGA-HN-249-N320	270-320 bar						CP101
CP000105	CPLN-090-DHGA-HN-249-N380	320-380 bar						CP105

1.1 Cartridge drukbegrenzers en lege behuizingen

CP000122	CPAN-090-DHGA-HN-249-N070	10-70 bar	380 bar	90 lpm	CP000114	n.v.t.	Direct werkend differentiaal	CP122
CP000111	CPAN-090-DHGA-HN-249-N120	70-120 bar						CP111
CP000112	CPAN-090-DHGA-HN-249-N200	120-200 bar						CP112
CP000109	CPAN-090-DHGA-HN-249-N270	200-270 bar						CP109
CP000113	CPAN-090-DHGA-HN-249-N320	270-320 bar						CP113
CP000114	CPAN-090-DHGA-HN-249-N380	320-380 bar						CP114
CP000021	CPLN-150-DHGD-HN-070-N100	30-100 bar	350 bar	150 lpm	CP000022	n.v.t.	VP000070 Direct werkend differentiaal	CP021
CP000018	CPLN-150-DHGD-HN-070-N200	70-210 bar						CP018
CP000022	CPLN-150-DHGD-HN-070-N350	130-350 bar						CP022
CP000121	CPLN-160-DHGA-HN-250-N090	50-90 bar	400 bar	160 lpm	CP000108	LK000307	VP000250 Direct werkend differentiaal	CP121
CP000106	CPLN-160-DHGA-HN-250-N140	90-140 bar						CP106
CP000100	CPLN-160-DHGA-HN-250-N270	140-270 bar						CP100
CP000107	CPLN-160-DHGA-HN-250-N350	270-350 bar						CP107
CP000108	CPLN-160-DHGA-HN-250-N400	350-400 bar						CP108
CP000123	CPAN-160-DHGA-HN-250-N090	50-90 bar	400 bar	160 lpm	CP000117	n.v.t.	Direct werkend differentiaal	CP123
CP000115	CPAN-160-DHGA-HN-250-N140	90-140 bar						CP115
CP000110	CPAN-160-DHGA-HN-250-N270	140-270 bar						CP110
CP000116	CPAN-160-DHGA-HN-250-N350	270-350 bar						CP116
CP000117	CPAN-160-DHGA-HN-250-N400	350-400 bar						CP117
CP000224	CPLN-250-DHGD-HN-154-N100	20-100 bar	350 bar	250 lpm	CP000046	n.v.t.	VP000154 Direct werkend differentiaal	CP224
CP000119	CPLN-250-DHGD-HN-154-N200	50-200 bar						CP119
CP000046	CPLN-250-DHGD-HN-154-N350	120-350 bar						CP046
CP000515	CPLT-080-DHNA-HN-S16-V050	5-50 bar	420 bar	80 lpm	CP000171	LK000212	SAE-16-3C Direct werkend	CP515
CP000514	CPLT-080-DHNA-HN-S16-V100	25-100 bar						CP514
CP000501	CPLT-080-DHNA-HN-S16-V200	60-210 bar						CP501
CP000513	CPLT-080-DHNA-HN-S16-V350	100-350 bar						CP513
CP000171	CPLT-080-DHNA-HN-S16-V420	150-420 bar						CP171
CP000059	CPLN-120-PSNA-HN-S10-N100	35-120 bar	350 bar	120 lpm	CP000009	LK000018 LK000114	SAE-10-2N Voorgestuurd	CP059

1.1 Cartridge drukbegrenzers en lege behuizingen

CP000060	CPLN-120-PSNA-HN-S10-N200	70-210 bar						CP060
CP000009	CPLN-120-PSNA-HN-S10-N350	140-350 bar						CP009
CP000066	CPLN-120-PSNA-VN-S10-N100	35-120 bar					SAE-10-2N Voorgestuurd Handknop	CP066
CP000065	CPLN-120-PSNA-VN-S10-N200	70-210 bar						CP065
CP000064	CPLN-120-PSNA-VN-S10-N350	140-350 bar						CP064
			350 bar	300 lpm	CP000188	LK000018 LK000356	SAE-16-2N Voorgestuurd	
CP000178	CPLN-300-PSNA-HN-S16-N100	35-120 bar						CP178
CP000177	CPLN-300-PSNA-HN-S16-N200	70-210 bar						CP177
CP000188	CPLN-300-PSNA-HN-S16-N350	140-350 bar						CP188
LK000001	ALUM BODY KPLN-030-G38	Lege behuizingen	350 bar	30 lpm		VP000008	G 3/8"	LK001
LK000002	ALUM BODY KPLN-030-G12						G 1/2"	LK002
LK000108	STALEN BODY KPLN-030-G38						G 3/8"	LK108
LK000109	STALEN BODY KPLN-030-G12						G 1/2"	LK109
LK000111	STALEN BODY KPLN-080-G34			80 lpm		VP000086	G 3/4"	LK111
		Lege behuizingen	350 bar					
LK000114	BODY KPLN-120-PSNA-HN-G34			120 lpm	LK000114	SAE-10-2N	G 3/4"	LK114
LK000307	BODY A-CPLN-160-100 staal			160 lpm	LK000307	VP000250	G 1"	LK307
LK000356	BODY A-CPLN-300-114 staal			300 lpm	LK000356	SAE-16-2N	G 1-1/4"	LK356



Loading...




Taking too long?

↻ Reload document

| ↗ [Open in new tab](#)

[Download \[323.75 KB\]](#)

kartuş

1.1 Cartridge Pressure Limiters and Empty Housings								
Quick code	Explanation	December	Pressure	Flow Symbol	Data sheet	Housing	Space	SQC
CP000277	CPLN-005-DPNA-PF-005-N040	10-40 bar						CP277
CP000030	CPLN-005-DPNA-PF-005-N100	25-100 bar						CP030
CP000029	CPLN-005-DPNA-PF-005-N200	100-200 bar					Not available VP000005 Direct operation	CP029
CP000002	CPLN-005-DPNA-PF-005-N350	120-350 bar						CP002
CP000015	CPLN-005-DPNA-PF-005-N460	150-460 bar						CP015
CP000374	CPLN-005-DPNA-PF-005-V460	150-460 bar			CP000374	For ML valves (EXC)		CP374
CP000056	CPLN-010-DHNA-HN-S08-N100	35-110 bar						CP056
CP000055	CPLN-010-DHNA-HN-S08-N200	90-210 bar	350 bar	3 liters / minute	CP000006	House type LK	SAE-08-2N Direct operation	CP055
CP000006	CPLN-010-DHNA-HN-S08-N350	140-350 bar			CP000172		With hand button	CP006
CP000172	CPLN-010-DHNA-VN-S08-N350	20-350 bar						CP172
CP000027	CPLN-020-DPNA-HN-S08-N050	10-70 bar	420 bar		CP000168		SAE-08-2N Hand buttoned	CP027
CP000028	CPLN-020-DPNA-HN-S08-N100	35-140 bar						CP028

CP000007	CPLN-020-DPNA-HN-S08-N200	105-210 bar	20 l / dk		House type LK	CP007
CP000025	CPLN-020-DPNA-HN-S08-N350	175-350 bar				CP025
CP000168	CPLN-020-DPNA-HN-S08-N420	200-420 bar				CP168
CP000173	CPLN-020-DPNA-VN-S08-N350	20-350 bar	350 bar	CP000173	With handwheel	CP173

CP000032	CPLN-030-DPNA-HN-008-N050	10-50 bar			CP000124	LK000001 LK000002 LK000108 LK000109	VP000008 Direct operation	CP032
CP000020	CPLN-030-DPNA-HN-008-N100	30-100 bar	420 bar	30 liters / minute				CP020
CP000019	CPLN-030-DPNA-HN-008-N200	50-210 bar						CP019
CP000001	CPLN-030-DPNA-HN-008-N350	100-350 çubuğu						CP001
CP000124	CPLN-030-DPNA-HN-008-N420	250-420 çubuğu						CP124

CP000085	CPLN-030-DHNA-HN-008-N050	10-50 bar	420 bar	30 lpm				CP085
CP000084	CPLN-030-DHNA-HN-008-N100	30-100 bar						CP084
CP000083	CPLN-030-DHNA-HN-008-N200	50-210 bar						CP083
CP000082	CPLN-030-DHNA-HN-008-N350	100-350 bar			CP000401	LK000001 LK000002 LK000108 LK000109	VP000008 Direct working Hardened sitting	CP082
CP000411	CPLN-030-DHNA-HF-008-N420	250-420 bar						CP411
CP000401	CPLN-023-DHNA-CF-008-N500	150-500 bar	500 bar	20 lpm				CP401

CP000099 CPLN-080-DPNA-HN-086-N050	5-50 bar				CP099
CP000077 CPLN-080-DPNA-HN-086-N100	25-100 bar				CP077
CP000076 CPLN-080-DPNA-HN-086-N200	60-210 bar	420 bar	80 lpm	VP000086 Direct working	CP076
CP000026 CPLN-080-DPNA-HN-086-N350	100-350 bar				CP026
CP000180 CPLN-080-DPNA-HN-086-N420	150-420 bar				CP180

[CP000180](#)

CP000081 CPLT-030-DPNA-HN-008-N050	10-50 bar			LK000001 LK000002 LK000108 LK000109	VP000008 Direct weekend	CP081
CP000080 CPLT-030-DPNA-HN-008-N100	30-100 bar	420 bar	30 lpm			CP080
CP000079 CPLT-030-DPNA-HN-008-N200	50-210 bar					CP079
CP000078 CPLT-030-DPNA-HN-008-N350	100-350 bar					CP078
CP000125 CPLT-030-DPNA-HN-008-N420	250-420 bar					CP125

[CP000125](#)

CP000098 CPLT-030-DHNA-HN-008-N050	10-50 bar					CP098
CP000097 CPLT-030-DHNA-HN-008-N100	30-100 bar					CP097
CP000096 CPLT-030-DHNA-HN-008-N200	50-210 bar	420 bar	30 lpm	LK000001 LK000002 LK000108 LK000109	VP000008 Direct working Hardened sitting	CP096 CP095
CP000095 CPLT-030-DHNA-HN-008-N350	100-350 bar					CP095
CP000410 CPLT-030-DHNA-HF-008-N420	250-420 bar					CP127

[CP000410](#)

CP000144 CPLT-080-DPNA-HN-086-N050	5-50 bar					CP144
CP000143 CPLT-080-DPNA-HN-086-N100	25-100 bar					CP143
CP000142 CPLT-080-DPNA-HN-086-N200	60-210 bar	420 bar	80 lpm	CP000181	LK000111 Direct working	VP000086 CP142
CP000130 CPLT-080-DPNA-HN-086-N350	100-350 bar					CP130
CP000181 CPLT-080-DPNA-HN-086-N420	150-420 bar					CP181

CP000223 CPLN-040-DHGD-HN-080-N100	30-100 bar					CP233
CP000088 CPLN-040-DHGD-HN-080-N200	50-210 bar	350 bar	40 lpm	CP000036	n.v.t.	VP000080 Direct working differential CP088
CP000036 CPLN-040-DHGD-HN-080-N350	100-350 bar					CP036

CP000120 CPLN-090-DHGA-HN-249-N070	10-70 bar					CP120
CP000102 CPLN-090-DHGA-HN-249-N120	70-120 bar					CP102
CP000103 CPLN-090-DHGA-HN-249-N200	120-200 bar	380 bar	90 lpm	CP000105	n.v.t.	VP000249 Direct working differential CP103
CP000104 CPLN-090-DHGA-HN-249-N270	200-270 bar					CP104
CP000101 CPLN-090-DHGA-HN-249-N320	270-320 bar					CP101
CP000105 CPLN-090-DHGA-HN-249-N380	320-380 bar					CP105

CP000122 CPAN-090-DHGA-HN-249-N070	10-70 bar					CP122
CP000111 CPAN-090-DHGA-HN-249-N120	70-120 bar					CP111
CP000112 CPAN-090-DHGA-HN-249-N200	120-200 bar	380	90			CP112
CP000109 CPAN-090-DHGA-HN-249-N270	200-270 bar	bar	lpm	CP000114 n.v.t.	Direct working differential	CP109
CP000113 CPAN-090-DHGA-HN-249-N320	270-320 bar					CP113
CP000114 CPAN-090-DHGA-HN-249-N380	320-380 bar					CP114

CP000021 CPLN-150-DHGD-HN-070-N100	30-100 bar					CP021
CP000018 CPLN-150-DHGD-HN-070-N200	70-210 bar	350	150			CP018
CP000022 CPLN-150-DHGD-HN-070-N350	130-350 bar			CP000022 n.v.t.	VP000070 Direct werkend differentiaal	CP022

CP000121 CPLN-160-DHGA-HN-250-N090	50-90 bar					CP121
CP000106 CPLN-160-DHGA-HN-250-N140	90-140 bar					CP106
CP000100 CPLN-160-DHGA-HN-250-N270	140-270 bar	400	160			CP100
CP000107 CPLN-160-DHGA-HN-250-N350	270-350 bar	bar	lpm	CP000108 LK000307	VP000250 Direct working differential	CP107
CP000108 CPLN-160-DHGA-HN-250-N400	350-400 bar					CP108

CP000123 CPAN-160-DHGA-HN-250-N090	50-90 bar					CP123
CP000115 CPAN-160-DHGA-HN-250-N140	90-140 bar					CP115
CP000110 CPAN-160-DHGA-HN-250-N270	140-270 bar	400	160			CP110
CP000116 CPAN-160-DHGA-HN-250-N350	270-350 bar	bar	lpm	CP000117 n.v.t.	Direct working differential	CP116
CP000117 CPAN-160-DHGA-HN-250-N400	350-400 bar					CP117

